

This insert contains basic prescribing information only. For more comprehensive information, a PROFESSIONAL BROCHURE is available to physicians on request.

EMOLENE Cream
Each gram contains

Propylene Glycol IP 15 mg
Diazolidinyl Urea (Preservative) 1.5 mg
in a cream base

DESCRIPTION

EMOLENE contains the following ingredients

Lecithin, Magnesium Aluminium Silicate, Carbomer-934P, Glycerin, Sodium Hydroxide, Propylene Glycol, Caprylic Capric Acid Triglyceride, Dimethicone, Squalene, Polyoxyl 40 Stearate, Stearic acid, Glycol Stearate, Glyceryl Stearate, Cetyl Alcohol, Myristyl Myristate, Carboxylic Acid Sterol Ester, Butylated Hydroxytoluene, Tetrasodium Edetate Tetrahydrate, Diazolidinyl Urea and Purified Water.

EMOLENE contains lecithin, a phospholipid water-binding agent found naturally in the skin. Each phospholipids molecule holds 15 molecules of water, restoring the natural moisture balance. The formulation is non-greasy and penetrates quickly in the skin. EMOLENE is hypoallergic and does not block pores.

PHARMACOLOGY

The main ingredients of EMOLENE are Propylene glycol and Diazolidinyl Urea. Propylene glycol has humectant properties and is used similarly to glycerol in topical moisturizing preparations. Diazolidinyl urea is a preservative.

EMOLENE also contains Lecithin, a phospholipid water-binding agent found naturally in the skin. Each phospholipids molecule holds 15 molecules of water, restoring the natural moisture balance. Lecithin provides skin with the depleted phospholipids. Dimethicone are modified silicones. It associates with the upper layer of drying skin, and these molecules seem to display an aversion to both the water and proteins inside the cells. Dimethicone forms a layer on the skin that retains anything and everything beneath it.

INDICATIONS

EMOLENE is indicated in

- Mild to severe dry skin as seen in Xerosis, Dry eczema, senile dry skin, ichthyosis, neurodermatitis and pruritis
- Adjuvant therapy in atopic eczema

DOSAGE AND ADMINISTRATION

Apply to the affected area twice a day after bathing or washing and rub in gently and thoroughly for full penetration.

SIDE EFFECTS

Phospholipids can be used safely and effectively with no side effects. However in some individuals burning, stinging, redness or irritation may occur. If any of these persists or worsens, physician should be consulted.

Serious allergic reactions are very rare. If any symptoms of serious allergic reaction are noted, it warrants immediate medical attention.

CONTRAINDICATIONS

EMOLENE is contraindicated in the patients who are hypersensitive to Lecithin or to any ingredient in the formulation.

PRECAUTIONS

If irritation or sensitization develops with the use of EMOLENE, treatment should be discontinued and appropriate therapy instituted. EMOLENE is not for ophthalmic use. For external use only.

PACKAGE

EMOLENE is available as 50 g tube pack.

STORAGE

Store in a cool place. Do not freeze.
Keep out of reach of children.

Marketed by:

FULFORD (INDIA) LIMITED

A subsidiary of Schering-Plough

Eureka Towers, 8th floor, Mindspace, Malad (W), Mumbai – 400064, India.

Manufactured by:

ZYG Pharma Pvt. Ltd.

Plot no 810, Sector – III,

Industrial Area, Pithampur,

Dist. Dhar – 454775 (M. P.),

India